

VEVOR[®]
TOUGH TOOLS, HALF PRICE


Technical Support and E-Warranty Certificate
www.vevor.com/support

All Terrain Remote Control Off-Road Truck
MODEL:300E

We continue to be committed to provide you tools with competitive price.
*Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to those major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR[®]
TOUGH TOOLS, HALF PRICE

All Terrain Remote Control Off-Road Truck



300E
1/18 RADIO CONTROL
2.4GHZ
4X4 WHEEL DRIVE
LITHIUM BATTERY
METAL OIL
BURNING MACHINE
WATERPROOF

RC POWER 4WD CAR 2.4GHz RADIO SYSTEM
Brushless

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Preface :

To make your experience with this remote control car as easy and convenient as possible, please read the instructions provided before using the product. Enjoy and have fun with the product while keeping the manual for future maintenance and reference.

- In order to protect the legitimate rights and interests of users, please be sure to carefully read the contents of this manual before using this product.
- When using this product, please be sure to strictly observe and perform the requirements which includes but not limited to the instructions and safety guidelines. For any personal injury, accident, property loss, legal dispute, or any other adverse event causing a conflict of interest resulting from the use of the product or any irresistible factors that are in violation of the safety instructions, the user shall bear the related responsibilities and losses.
- Once you start using the product, you are deemed to have read, understood, recommended, and accepted all terms and contents of the instructions (including disclaimers, safety instructions, warning instructions, etc.) included with this product.
- In case you are having challenges on any aspect of the product, it may be operation or maintenance, please contact your local sales agent or contact customer support.

Contents :



Charging :



The battery isn't fully charged when you first get it. When the car battery low, the car will start the LVC (Low Voltage Cutoff) protection function to protect the battery, the car can only turn, not forward and backward. Please charge the battery.

- Plug the USB charging cable into the USB charging port of the computer, power bank or USB adapter (5V/0.2-2.0A).
- Connect the battery wire to the USB charging cable.
- Charging time: about 120 minutes.
- The green indicator light on the USB charging cable will flash when it is charging and will turn solid once fully charged.

ATTENTION:
• Cool the battery for 10 to 15 minutes before charging.
• Please keep the battery in sight when charging. DO NOT put the battery on a flammable surface.
• If battery pack and USB charging cable are damaged, immediately stop using it and replace the accessories as soon as possible.

Vehicle And Transmitter Parts :

Function introduction of Remote Control
Our company has configured a new remote control for the model. Please read the operation on the instruction manual carefully. Below is the functions description of this remote control.

- Remote Control 1**
 - Steering rate knob
 - Throttle trim
 - Turn trim
 - Indicator light
 - Reverse direction of left and right
 - Power switch
- Remote Control 2**
 - Steering rate knob
 - Throttle trim
 - Turn trim
 - Indicator light
 - Reverse direction of left and right
 - Power switch
 - ESC Switch
 - LiPo Battery Connector

Battery Installation :

RC Car Battery:
1. Take out the clip and open the battery cover.
2. Connect the battery outlet to the cable in the battery compartment, then insert the battery to the battery compartment.
3. Close the battery cover and lock it.
If the car will not be used for a long time, make sure to turn it off and remove the battery.

Remote Battery:
1. Push the battery cover out.
2. Insert 3 AA batteries (not included) in the correct direction.
3. Push the battery cover in.
If the remote will not be used for a long time, make sure to turn it off and remove the batteries. When the battery of the remote control is low, the indicator light of the remote control will flash slowly.

Throttle Trim :

Use throttle to adjust the speed into your ideal one by rotate left or rotate right.
Adjust to your ideal speed
FAST FURIOUS
Rotate it to the right, maximum speed will be increased.
Rotate it to the left, maximum speed will be decreased.

During Charge :

1. Turn off the car
2. Plug the USB wire to your computer USB port or the USB adapter
3. Plug the LiPo battery in your car to USB charging port.
4. The charging process takes about 150 minutes, do not charge more than 4 hours for the safety. During charging, the green LED light will be sparkling. It will be Always light on when finished charging.
5. Disconnect the battery from charger and reconnect the battery.

FREQUENTLY ASKED QUESTIONS :

QUESTION	CAUSE	SOLUTION
No match or can't control it	1. The car battery or remote control battery is completely dead 2. Out of remote range	1. Replace charged battery 2. Repair and keep in remote distance
Can't go forward or reverse	1. Low battery 2. The car shorted out when it got wet 3. Poor contact between motor and electronic regulator	1. Charging 2. Let the car dry completely 3. Reconnect the connection wire between the steering gear and the electronic regulator
Can't turn left or right	1. Low battery 2. The car shorted out when it got wet 3. Poor contact between steering gear and electronic regulator	1. Charging 2. Let the car dry completely 3. Reconnect the connection wire between the steering gear and the electronic regulator
It won't charge	1. The output voltage or current of the power supply is too high 2. The charging cable or battery is broken	1. The output voltage and current of the power supply should be 5V 0.5-2A 2. Contact Customer Service
It won't turn	1. The throttle trigger during pairing is missing or broken 2. The wheels turn on their own	1. Contact Customer Service 2. Repair without pulling the throttle

Vehicle Manipulation :


Turning Trim
Remote Control 1
Remote Control 2

Vehicle Operation :

Start
1. Make sure the battery is charged.
2. Insert batteries to the car and the remote.
3. Turn on the car power switch and the remote power switch. (DO NOT pull the throttle trigger during pairing)
4. Both will automatically pair. (The remote power indicator and the car power indicator will flash while waiting for the pairing process and will turn solid once pairing has been successful.)

Operation :
Steering Rate Knob
Use the Steering Rate Knob to adjust direction angle when the steering wheel operated.
Increase the steering angle
Adjust to make a circle you like.
Decrease the steering angle
Charging angle will be fast when the battery is full.

ASSEMBLY EXPLODED DIAGRAM



Specifications :

Drive:	4WD Brushless
Motor:	2440 brushless motor
Battery:	7.4V lithium battery
Remote frequency:	2.4GHz
Remote distance:	80m
Charging mode:	USB balance charging cable

Correct Disposal

This product is subject to the provision of European Directive 2012/19/EU. The symbol showing a wheeled bin crossed through indicates that the product requires separate refuse collection in the European Union. This applies to the product and all accessories marked with this symbol. Products marked as such may not be discarded with normal domestic waste, but must be taken to collection point for recycling electrical and electronic devices.

BATTERY WARNING

- Failure to follow all the instructions may result in serious injury, irreparable damage to the battery and may cause a fire, smoke or explosion.
- Always check the battery's condition before charging or using it.
- Replace the battery if it has been dropped, or in case of odor, overheating, discoloration, deformation or leakage.
- Never use anything other than the approved charger for the battery. Always use a balancing charger for battery. It is recommended that you do not use any other charger than the one provided with the product.
- The battery temperature must never exceed 60°C (140°F) otherwise the battery could be damaged or ignite.
- Never charge on a flammable surface, near flammable products or inside a vehicle (preferably place the battery in a non-flammable and nonconductive container).
- Never leave the battery unattended during the charging process. Never disassemble or modify the housing's wiring, or puncture the cells. Always ensure that the charger output voltage corresponds to the voltage of the battery. Do not short circuit the batteries.
- Never expose the battery to moisture or direct sunlight, or store it in a place where temperatures could exceed 60°C (car in the sun, for example).
- Always keep it out of reach of children.
- Improper battery use may result in a fire, explosion or other hazard.
- Non-rechargeable batteries are not to be recharged. Rechargeable batteries are only to be charged under adult supervision.
- Different types of batteries or new and used batteries are not to be mixed.
- Batteries must be inserted with the correct polarity.
- The supply terminals are not to be short-circuited. Regular examination of transformer or battery charger for any damage to their cord, plug, enclosures and other parts and they must not be used until the damage has been repaired.
- The packaging has to be kept since it contains important information.
- The toy is only to be connected to Class II equipment bearing the symbol.

Correct Disposal

This product is subject to the provision of European Directive 2012/19/EU. The symbol showing a wheeled bin crossed through indicates that the product requires separate refuse collection in the European Union. This applies to the product and all accessories marked with this symbol. Products marked as such may not be discarded with normal domestic waste, but must be taken to collection point for recycling electrical and electronic devices.

WARNING :

CHOKING HAZARD-Small parts. Not for children under 3 years.
Children should only use it under adult supervision. Never play alone in the water or by the pond.

AVERTISSEMENT :

RISQUE D'ÉTOUFFEMENT-Petites pièces. Ne convient pas aux enfants de moins de 3 ans.
Les enfants ne doivent l'utiliser que sous la surveillance d'un adulte. Il ne faut jamais jouer seul dans l'eau ou au bord de l'étang.

Manufacturer: SHANTOU PENGXIANG TOYS FACTORY.

Address: City ,GuangDong Province,CHINA Pengxiang Building , Gangxia Road ,Bumei Industrial Zone, ChenghaiArea,Shantou

EC REP: E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.

UK REP: YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

Imported to AUS: SIHAQ PTY LTD.
1 ROKEVA STREET EASTWOOD NSW 2122 Australia

Imported to USA: Sanven Technology Ltd.
Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

WARNING :

CHOKING HAZARD-Small parts. Not for children under 3 years.
Children should only use it under adult supervision. Never play alone in the water or by the pond.

AVERTISSEMENT :

RISQUE D'ÉTOUFFEMENT-Petites pièces. Ne convient pas aux enfants de moins de 3 ans.
Les enfants ne doivent l'utiliser que sous la surveillance d'un adulte. Il ne faut jamais jouer seul dans l'eau ou au bord de l'étang.

Manufacturer: SHANTOU PENGXIANG TOYS FACTORY.

Address: City ,GuangDong Province,CHINA Pengxiang Building , Gangxia Road ,Bumei Industrial Zone, ChenghaiArea,Shantou

EC REP: E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.

UK REP: YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

Imported to AUS: SIHAQ PTY LTD.
1 ROKEVA STREET EASTWOOD NSW 2122 Australia

Imported to USA: Sanven Technology Ltd.
Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

WARNING :

CHOKING HAZARD-Small parts. Not for children under 3 years.
Children should only use it under adult supervision. Never play alone in the water or by the pond.

AVERTISSEMENT :

RISQUE D'ÉTOUFFEMENT-Petites pièces. Ne convient pas aux enfants de moins de 3 ans.
Les enfants ne doivent l'utiliser que sous la surveillance d'un adulte. Il ne faut jamais jouer seul dans l'eau ou au bord de l'étang.

Manufacturer: SHANTOU PENGXIANG TOYS FACTORY.

Address: City ,GuangDong Province,CHINA Pengxiang Building , Gangxia Road ,Bumei Industrial Zone, ChenghaiArea,Shantou

EC REP: E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.

UK REP: YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

Imported to AUS: SIHAQ PTY LTD.
1 ROKEVA STREET EASTWOOD NSW 2122 Australia

Imported to USA: Sanven Technology Ltd.
Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

WARNING :

CHOKING HAZARD-Small parts. Not for children under 3 years.
Children should only use it under adult supervision. Never play alone in the water or by the pond.

AVERTISSEMENT :

RISQUE D'ÉTOUFFEMENT-Petites pièces. Ne convient pas aux enfants de moins de 3 ans.
Les enfants ne doivent l'utiliser que sous la surveillance d'un adulte. Il ne faut jamais jouer seul dans l'eau ou au bord de l'étang.

WARNING :

CHOKING HAZARD-Small parts. Not for children under 3 years.
Children should only use it under adult supervision. Never play alone in the water or by the pond.

AVERTISSEMENT :

RISQUE D'ÉTOUFFEMENT-Petites pièces. Ne convient pas aux enfants de moins de 3 ans.
Les enfants ne doivent l'utiliser que sous la surveillance d'un adulte. Il ne faut jamais jouer seul dans l'eau ou au bord de l'étang.

Manufacturer: SHANTOU PENGXIANG TOYS FACTORY.

Address: City ,GuangDong Province,CHINA Pengxiang Building , Gangxia Road ,Bumei Industrial Zone, ChenghaiArea,Shantou

EC REP: E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.

UK REP: YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

Imported to AUS: SIHAQ PTY LTD.
1 ROKEVA STREET EASTWOOD NSW 2122 Australia

Imported to USA: Sanven Technology Ltd.
Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

WARNING :

CHOKING HAZARD-Small parts. Not for children under 3 years.
Children should only use it under adult supervision. Never play alone in the water or by the pond.

AVERTISSEMENT :

RISQUE D'ÉTOUFFEMENT-Petites pièces. Ne convient pas aux enfants de moins de 3 ans.
Les enfants ne doivent l'utiliser que sous la surveillance d'un adulte. Il ne faut jamais jouer seul dans l'eau ou au bord de l'étang.

Manufacturer: SHANTOU PENGXIANG TOYS FACTORY.

Address: City ,GuangDong Province,CHINA Pengxiang Building , Gangxia Road ,Bumei Industrial Zone, ChenghaiArea,Shantou

EC REP: E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.

UK REP: YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX

Imported to AUS: SIHAQ PTY LTD.
1 ROKEVA STREET EASTWOOD NSW 2122 Australia

Imported to USA: Sanven Technology Ltd.
Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

WARNING :

CHOKING HAZARD-Small parts. Not for children under 3 years.
Children should only use it under adult supervision. Never play alone in the water or by the pond.

AVERTISSEMENT :

RISQUE D'ÉTOUFFEMENT-Petites pièces. Ne convient pas aux enfants de moins de 3 ans.
Les enfants ne doivent l'utiliser que sous la surveillance d'un adulte. Il ne faut jamais jouer seul dans l'eau ou au bord de l'étang.

VEVOR
TOUGH TOOLS, HALF PRICE

Technischer Support und E-Garantie-
Zertifikatwww.vevor.com/support

All-Terrain-Fernbedienung Off-Road-Truck
MODELL: 3 0 0 E

Wir und weiteren bestirbt, Ihnen Werkzeuge zu wettbewerbsfähigen Preisen anzubieten. Oder
"Hälfte retten". Die Hälfte andere ähnliche Ausdrücke, die wir verwenden, stellen eine
der Ergebnisse, die Sie beim Kauf bestimmter Werkzeuge bei uns erleben können, ist im Vergleich zu den Top-Marken zu
erwarten. Das bedeutet nicht unbedingt, dass Sie alle von uns angebotenen Werkzeugkategorien abdecken müssen. Wir
möchten Sie freundlich daran erinnern, bei Ihrer Bestellung bei uns sorgfältig zu prüfen, ob Sie im Vergleich zu
den Top-Marken tatsächlich die Hälfte sparen?

VEVOR
TOUGH TOOLS, HALF PRICE

All Terrain Remot
Kontrolle - Straßen-LKW



1/18
RADIO
CONTROL
24
GHZ
4X4
4WHEEL
DRIVE
3 0 0 E
LITHIUM
BATTERY
METAL OIL
SHOCKS
BURNING
MACHINE
WATERPROOF
RCPOWER 4 WDMCAR 2 + 4 GHZ x FUNKSYSTEM
BRAUCHEN SIE HILFE? MIT TA CTUS I
Beilig

Haben Sie Produktfragen? Benötigen Sie technischen Support? Kontaktieren Sie uns gerne:
Technischer Support und E-
Garantiezerifikatwww.vevor.com/support


Dies ist die Originalanleitung. Bitte lesen Sie alle Anweisungen sorgfältig durch, bevor
Sie das Gerät in Betrieb nehmen. VEVOR behält sich die genaue Auslegung dieser
Bedienungsanleitung vor. Das Aussehen des Produkts kann dem von Ihnen erhaltenen
Produkt entsprechen. Bitte verstehen Sie, dass es zu technischen
Informationen Sie noch einmal, wenn
oder Software-Updates für unser Produkt kommen kann.

Notice :

To make your experience with this remote control car as easy and convenient as possible, please
read the instructions provided before using the product. Enjoy and have fun with the product while
keeping the manual for future maintenance and reference.

- In order to protect the legitimate rights and interests of users, please be sure to carefully read the
contents of this manual before using this product.
- When using this product, please be sure to strictly observe and perform the requirements which
includes but not limited to the instructions and safety guidelines. For any personal injury, accident,
property loss, lost dispute, or any other adverse event causing a conflict of interest resulting from
the use of the product or any irresistible factors that are in violation of the safety instructions, the user
shall bear the related responsibilities and losses.
- Once you start using the product, you are deemed to have read, understood, recommended, and
accepted all terms and contents of the instructions (including disclaimers, safety instructions,
warning instructions, etc.) included with this product.
- In case you are having challenges on any aspect of the product, may it be operation or mainte-
nance, please contact your local sales agent or contact customer support.

Contents :



Charging :



The battery isn't fully charged when you first get it. When the car battery low, the car will start the
LVC (Low Voltage Cut-off) protection function to protect the battery. the car can only turn, not
forward and backward. Please charge the battery.

- Plug the USB charging cable into the USB charging port of the computer, power bank or USB
adapter (OV5V 0.5-2.0A).
- Connect the battery wire to the USB charging cable.
- Charging time: about 120 minutes.
- The green indicator light on the USB charging cable will flash when it is charging and will turn solid
once fully charged.

ATTENTION:
• Cool the battery for 10 to 15 minutes before charging.
• Please keep the battery in sight when charging. DO NOT put the battery on a flammable surface.
• If battery pack and USB charging cable are damaged, immediately stop using it and replace the
accessories as soon as possible.

Vehicle And Transmitter Parts :

Function introduction of Remote Control
Our company has configured a new remote control for the model. Please read the operation on the instruction
manual carefully. Below is the functions description of this remote control.

Remote Control 1

1. Forward
2. Brake / 3. Backward

Remote Control 2

1. Forward
2. Brake / 3. Backward

ESC Switch

1. Forward
2. Brake / 3. Backward

LiPo Battery Connector

LED Charge Indicator

1. Forward
2. Brake / 3. Backward

Power Switch

1. Forward
2. Brake / 3. Backward

Steering Trim

1. Forward
2. Brake / 3. Backward

Steering rate knob

1. Forward
2. Brake / 3. Backward

Indicator light

1. Forward
2. Brake / 3. Backward

Reverse direction

1. Forward
2. Brake / 3. Backward

Throttle trim

1. Forward
2. Brake / 3. Backward

Steering rate knob

1. Forward
2. Brake / 3. Backward

Reverse direction

1. Forward
2. Brake / 3. Backward

Indicator light

1. Forward
2. Brake / 3. Backward

Power switch

1. Forward
2. Brake / 3. Backward

1. Forward
2. Brake / 3. Backward

Battery Installation :

RC Car Battery:

- Take out the clip and open the battery cover.
- Connect the battery outlet to the cable in the battery compart-
ment, then insert the battery to the better compartment.
- Close the battery cover and lock it.

If the car will not be used for a long time, make sure to turn it off
and remove the battery.

Remote Battery:

- Push the battery cover out.
- Insert 3 AA batteries (not included) in the correct direction.
- Push the battery cover in.

If the remote will not be used for a long time, make sure to turn it off and remove the batteries.
When the battery of the remote control is low, the indicator light of the remote control will flash
slightly.

Vehicle Manipulation :

Remote Control 1

1. Forward
2. Brake / 3. Backward

Remote Control 2

1. Forward
2. Brake / 3. Backward

ESC Switch

1. Forward
2. Brake / 3. Backward

Steering Trim

1. Forward
2. Brake / 3. Backward

Steering rate knob

1. Forward
2. Brake / 3. Backward

Indicator light

1. Forward
2. Brake / 3. Backward

Reverse direction

1. Forward
2. Brake / 3. Backward

Throttle trim

1. Forward
2. Brake / 3. Backward

Steering rate knob

1. Forward
2. Brake / 3. Backward

Reverse direction

1. Forward
2. Brake / 3. Backward

Indicator light

1. Forward
2. Brake / 3. Backward

Power switch

1. Forward
2. Brake / 3. Backward

1. Forward
2. Brake / 3. Backward

Throttle Trim :

Use throttle to adjust the speed into your desired by rotate left or rotate right.

Adjust to your ideal speed

Rotate it to the right, maximum
speed will be increased.

Rotate it to the left, maximum
speed will be decreased.

During Charge :

LED Charge Indicator

1. Forward
2. Brake / 3. Backward

Power Switch

1. Forward
2. Brake / 3. Backward

Steering Trim

1. Forward
2. Brake / 3. Backward

Steering rate knob

1. Forward
2. Brake / 3. Backward

Indicator light

1. Forward
2. Brake / 3. Backward

Reverse direction

1. Forward
2. Brake / 3. Backward

Throttle trim

1. Forward
2. Brake / 3. Backward

Steering rate knob

1. Forward
2. Brake / 3. Backward

Reverse direction

1. Forward
2. Brake / 3. Backward

Indicator light

1. Forward
2. Brake / 3. Backward

Power switch

1. Forward
2. Brake / 3. Backward

Steering Trim

1. Forward
2. Brake / 3. Backward

Steering rate knob

1. Forward
2. Brake / 3. Backward

1. Forward
2. Brake / 3. Backward

Specifications :

Drive: 4WD Brushless

Motor: 2440 brushless motor

Battery: 7.4V lithium battery

Remote frequency: 2.4GHz

Remote distance: 800m

Charging mode: USB balance charging cable

FREQUENTLY ASKED QUESTIONS :

QUESTION

1. The car battery or remote control battery
is completely dead.

2. The car battery or remote control battery
is completely dead.

3. The car battery or remote control battery
is completely dead.

4. The car battery or remote control battery
is completely dead.

5. The car battery or remote control battery
is completely dead.

6. The car battery or remote control battery
is completely dead.

7. The car battery or remote control battery
is completely dead.

8. The car battery or remote control battery
is completely dead.

9. The car battery or remote control battery
is completely dead.

10. The car battery or remote control battery
is completely dead.

11. The car battery or remote control battery
is completely dead.

12. The car battery or remote control battery
is completely dead.

13. The car battery or remote control battery
is completely dead.

14. The car battery or remote control battery
is completely dead.

15. The car battery or remote control battery
is completely dead.

16. The car battery or remote control battery
is completely dead.

17. The car battery or remote control battery
is completely dead.

18. The car battery or remote control battery
is completely dead.

19. The car battery or remote control battery
is completely dead.

20. The car battery or remote control battery
is completely dead.

21. The car battery or remote control battery
is completely dead.

22. The car battery or remote control battery
is completely dead.

23. The car battery or remote control battery
is completely dead.

24. The car battery or remote control battery
is completely dead.

25. The car battery or remote control battery
is completely dead.

26. The car battery or remote control battery
is completely dead.

27. The car battery or remote control battery
is completely dead.

28. The car battery or remote control battery
is completely dead.

29. The car battery or remote control battery
is completely dead.

30. The car battery or remote control battery
is completely dead.

31. The car battery or remote control battery
is completely dead.

32. The car battery or remote control battery
is completely dead.

33. The car battery or remote control battery
is completely dead.

34. The car battery or remote control battery
is completely dead.

35. The car battery or remote control battery
is completely dead.

36. The car battery or remote control battery
is completely dead.

37. The car battery or remote control battery
is completely dead.

38. The car battery or remote control battery
is completely dead.

39. The car battery or remote control battery
is completely dead.

40. The car battery or remote control battery
is completely dead.

41. The car battery or remote control battery
is completely dead.

42. The car battery or remote control battery
is completely dead.

43. The car battery or remote control battery
is completely dead.

44. The car battery or remote control battery
is completely dead.

45. The car battery or remote control battery
is completely dead.

46. The car battery or remote control battery
is completely dead.

47. The car battery or remote control battery
is completely dead.

48. The car battery or remote control battery
is completely dead.

49. The car battery or remote control battery
is completely dead.

50. The car battery or remote control battery
is completely dead.

51. The car battery or remote control battery
is completely dead.

52. The car battery or remote control battery
is completely dead.

53. The car battery or remote control battery
is completely dead.

54. The car battery or remote control battery
is completely dead.

55. The car battery or remote control battery
is completely dead.

56. The car battery or remote control battery
is completely dead.

57. The car battery or remote control battery
is completely dead.

58. The car battery or remote control battery
is completely dead.

59. The car battery or remote control battery
is completely dead.

60. The car battery or remote control battery
is completely dead.

61. The car battery or remote control battery
is completely dead.

62. The car battery or remote control battery
is completely dead.

63. The car battery or remote control battery
is completely dead.

64. The car battery or remote control battery
is completely dead.

65. The car battery or remote control battery
is completely dead.

66. The car battery or remote control battery
is completely dead.

67. The car battery or remote control battery
is completely dead.

68. The car battery or remote control battery
is completely dead.

69. The car battery or remote control battery
is completely dead.

70. The car battery or remote control battery
is completely dead.

71. The car battery or remote control battery
is completely dead.

72. The car battery or remote control battery
is completely dead.

73. The car battery or remote control battery
is completely dead.

74. The car battery or remote control battery
is completely dead.

75. The car battery or remote control battery
is completely dead.

76. The car battery or remote control battery
is completely dead.

77. The car battery or remote control battery
is completely dead.

78. The car battery or remote control battery
is completely dead.

79. The car battery or remote control battery
is completely dead.

80. The car battery or remote control battery
is completely dead.

81. The car battery or remote control battery
is completely dead.

82. The car battery or remote control battery
is completely dead.

83. The car battery or remote control battery
is completely dead.

84. The car battery or remote control battery
is completely dead.

85. The car battery or remote control battery
is completely dead.

86. The car battery or remote control battery
is completely dead.

87. The car battery or remote control battery
is completely dead.

88. The car battery or remote control battery
is completely dead.

89. The car battery or remote control battery
is completely dead.

90. The car battery or remote control battery
is completely dead.

91. The car battery or remote control battery
is completely dead.

92. The car battery or remote control battery
is completely dead.

93. The car battery or remote control battery
is completely dead.

94. The car battery or remote control battery
is completely dead.

95. The car battery or remote control battery
is completely dead.

96. The car battery or remote control battery
is completely dead.

97. The car battery or remote control battery
is completely dead.

98. The car battery or remote control battery
is completely dead.

99. The car battery or remote control battery
is completely dead.

100. The car battery or remote control battery
is completely dead.

101. The car battery or remote control battery
is completely dead.

102. The car battery or remote control battery
is completely dead.

103. The car battery or remote control battery
is completely dead.

104. The car battery or remote control battery
is completely dead.

VEVOR

TOUGH TOOLS, HALF PRICE

Supporto tecnico e certificato di garanzia
 elettronicawww.vevor.com/support

Controllo remoto su tutti i terreni Fuori strada
 MODELLO: 3.0 D E

Continuando ad impegnarsi a fornirvi strumenti a prezzi competitivi, o qualsiasi altra "Salvo meta", la stessa espressione simile utilizzata da noi è presentata solo metà prezzo del risparmio o ci potrei benissimo acquistare determinati utensili con un rispetto ai marchi più importanti e non significa necessariamente copiare tutte le categorie di utensili offerti da noi. Ti ricordiamo comunque di verificare attentamente quando effettui un ordine con noi per verificare che sia effettivamente risparmiando la metà rispetto ai marchi più importanti.

VEVOR
 TOUGH TOOLS, HALF PRICE

Telecomando per tutti i terreni
 Controllo Off-Road Truck



1/18 RADIO CONTROL
 2.4 GHZ
 4X4 METAL OIL DRIVE
 3.0 D E
 LITHIUM BATTERY
 METAL OIL
 BURNING MACHINE
 WATERPROOF

SISTEMA RADIO RCPower A 2400 2.4 GHZ
 HAI BISOGNO DI AIUTO? CON TA CTUSSI!

Hai domande sul prodotto? Hai bisogno di supporto tecnico? Non esitare a contattarci:

Supporto tecnico e certificato di garanzia
 elettronica www.vevor.com/supporto


Questa istruzione è in inglese. Leggere attentamente tutte le istruzioni del manuale prima di utilizzare il prodotto. VEVOR si riserva una chiara interpretazione del manuale d'uso. L'aspetto del prodotto sarà soggetto al prodotto ricevuto. Vi preghiamo di perdonarci se abbiamo ricevuto aggiornamenti tecnologici o fissare sul nostro prodotto informazioni di nuovo se

Preface :

To make your experience with this remote control car as easy and convenient as possible, please read the instructions provided before using the product. Enjoy and have fun with the product while keeping the manual for future maintenance and reference.

- In order to protect the legitimate rights and interests of users, please be sure to carefully read the contents of this manual before using this product.
- When using this product, please be sure to strictly observe and perform the requirements which includes but not limited to the instructions and safety guidelines. For any personal injury, accident, property loss, loss of data, or any other adverse event causing a conflict of interest resulting from the use of the product or any irresistible factors that are in violation of the safety instructions, the user shall bear the related responsibilities and losses.
- Once you start using the product, you are deemed to have read, understood, recommended, and accepted all terms and contents of the instructions (including disclaimers, safety instructions, warning instructions, etc.) included with this product.
- In case you are having challenges on any aspect of the product, may it be operation or maintenance, please contact your local sales agent or contact customer support.

Contents :



Charging :



The battery isn't fully charged when you first get it. When the car battery low, the car will start the LVC (Low Voltage Cut-off) protection function to protect the battery. the car can only turn, not forward and backward. Please charge the battery.

- Plug the USB charging cable into the USB charging port of the computer, power bank or USB adapter (over 1A is recommended).
- Connect the battery wire to the USB charging cable.
- Charging time: about 120 minutes.
- The green indicator light on the USB charging cable will flash when it is charging and will turn solid once fully charged.

ATTENTION:
 • Cool the battery for 10 to 15 minutes before charging.
 • Please keep the battery in sight when charging. DO NOT put the battery on a flammable surface.
 • If battery pack and USB charging cable are damaged, immediately stop using it and replace the accessories as soon as possible.

01

Vehicle And Transmitter Parts :

Function introduction of Remote Control
 Our company has configured a new remote control for the model. Please read the operation on the instruction manual carefully. Below is the functions description of this remote control.

- Remote Control 1
 Steering rate knob
 Throttle trim
 Turn trim
 Reverse direction of left and right
 Indicator light
 Power switch
- Remote Control 2
 Steering trim
 Steering rate knob
 Throttle trim
 Turn trim
 Reverse direction
 Indicator light
 Power switch

ESC Switch
 LiPo Battery Connector

1. Forward
 2. Brake / 3. Backward

1. Forward
 2. Brake / 3. Backward

1. Forward
 2. Brake / 3. Backward

1. Forward
 2. Brake / 3. Backward

1. Forward
 2. Brake / 3. Backward

1. Forward
 2. Brake / 3. Backward

1. Forward
 2. Brake / 3. Backward

1. Forward
 2. Brake / 3. Backward

1. Forward
 2. Brake / 3. Backward

1. Forward
 2. Brake / 3. Backward

1. Forward
 2. Brake / 3. Backward

1. Forward
 2. Brake / 3. Backward

1. Forward
 2. Brake / 3. Backward

1. Forward
 2. Brake / 3. Backward

1. Forward
 2. Brake / 3. Backward

1. Forward
 2. Brake / 3. Backward

1. Forward
 2. Brake / 3. Backward

1. Forward
 2. Brake / 3. Backward

1. Forward
 2. Brake / 3. Backward

02

Battery Installation :

- RC Car Battery:
 1. Take out the clip and open the battery cover.
 2. Connect the battery outlet to the cable in the battery compartment, then insert the battery to the better compartment.
 3. Close the battery cover and lock it.

If the car will not be used for a long time, make sure to turn it off and remove the battery.

- Remote Battery:
 1. Push the battery cover out.
 2. Insert 3 AA batteries (not included) in the correct direction.
 3. Push the battery cover in.

If the remote will not be used for a long time, make sure to turn it off and remove the batteries. When the battery of the remote control is low, the indicator light of the remote control will flash slowly.

If the remote will not be used for a long time, make sure to turn it off and remove the batteries.

If the remote will not be used for a long time, make sure to turn it off and remove the batteries.

If the remote will not be used for a long time, make sure to turn it off and remove the batteries.

If the remote will not be used for a long time, make sure to turn it off and remove the batteries.

If the remote will not be used for a long time, make sure to turn it off and remove the batteries.

If the remote will not be used for a long time, make sure to turn it off and remove the batteries.

If the remote will not be used for a long time, make sure to turn it off and remove the batteries.

If the remote will not be used for a long time, make sure to turn it off and remove the batteries.

If the remote will not be used for a long time, make sure to turn it off and remove the batteries.

If the remote will not be used for a long time, make sure to turn it off and remove the batteries.

If the remote will not be used for a long time, make sure to turn it off and remove the batteries.

If the remote will not be used for a long time, make sure to turn it off and remove the batteries.

If the remote will not be used for a long time, make sure to turn it off and remove the batteries.

If the remote will not be used for a long time, make sure to turn it off and remove the batteries.

If the remote will not be used for a long time, make sure to turn it off and remove the batteries.

If the remote will not be used for a long time, make sure to turn it off and remove the batteries.

If the remote will not be used for a long time, make sure to turn it off and remove the batteries.

If the remote will not be used for a long time, make sure to turn it off and remove the batteries.

If the remote will not be used for a long time, make sure to turn it off and remove the batteries.

03

Throttle Trim :

Use throttle to adjust the speed into your desired by rotate left or rotate right.

Adjust to your desired speed
 Rotate it to the right, maximum speed will be increased.
 Rotate it to the left, maximum speed will be decreased.

During Charge :

LED Charge Indicator

LED Charge Indicator

LED Charge Indicator

LED Charge Indicator

LED Charge Indicator

LED Charge Indicator

LED Charge Indicator

LED Charge Indicator

LED Charge Indicator

LED Charge Indicator

LED Charge Indicator

LED Charge Indicator

LED Charge Indicator

LED Charge Indicator

LED Charge Indicator

LED Charge Indicator

LED Charge Indicator

LED Charge Indicator

LED Charge Indicator

LED Charge Indicator

LED Charge Indicator

04

Specifications :

Drive:	4WD Brushless
Motor:	2440 brushless motor
Battery:	7.4V Lithium Battery
Remotes frequency:	2.4GHz
Remotes channel:	80m
Charging mode:	USB balance charging cable

FREQUENTLY ASKED QUESTIONS :

QUESTION CAUSE SOLUTION

No. match or can't control it

1. The car battery or remote control battery is completely dead.
 2. Out of remote range

1. Replace charged battery
 2. Repair and keep in remote distance

Can't go forward or reverse

1. Low battery
 2. The car shorted out when it got wet
 3. Poor contact between motor and electronic regulator

1. Charging
 2. Let the car dry completely
 3. Reconnect the connection wire between the motor and the electronic regulator

Can't turn left or turn right

1. Low battery
 2. The car shorted out when it got wet
 3. Poor contact between steering gear and electronic regulator

1. Charging
 2. Let the car dry completely
 3. Reconnect the connection wire between the steering gear and the electronic regulator

It won't charge

1. The output voltage and current of the power supply should be 5V 0.5-2A
 2. The charging cable or battery is broken

1. Contact Customer Service

1. Contact Customer Service

1. Contact Customer Service

05

ASSEMBLY EXPLODED DIAGRAM

FRONT & REAR DIFFERENTIAL EXPLODED VIEW

DRIVE AXLE EXPLODED VIEW

TIRE & WHEEL AXLE EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

06

Vehicle Manipulation :

Remote Control 1

Remote Control 2

Remote Control 1

Remote Control 2

Remote Control 1

Remote Control 2

Remote Control 1

Remote Control 2

Remote Control 1

Remote Control 2

Remote Control 1

Remote Control 2

Remote Control 1

Remote Control 2

Remote Control 1

Remote Control 2

Remote Control 1

Remote Control 2

Remote Control 1

Remote Control 2

Remote Control 1

Remote Control 2

Remote Control 1

Remote Control 2

Remote Control 1

Remote Control 2

07

Vehicle Operation :

Start

Operation

Operation

Operation

Operation

Operation

Operation

Operation

Operation

Operation

Operation

Operation

Operation

Operation

Operation

Operation

Operation

Operation

Operation

Operation

Operation

Operation

Operation

Operation

Operation

Operation

08

Specifications :

Drive:	4WD Brushless
Motor:	2440 brushless motor
Battery:	7.4V Lithium Battery
Remotes frequency:	2.4GHz
Remotes channel:	80m
Charging mode:	USB balance charging cable

FREQUENTLY ASKED QUESTIONS :

QUESTION CAUSE SOLUTION

No. match or can't control it

1. The car battery or remote control battery is completely dead.
 2. Out of remote range

1. Replace charged battery
 2. Repair and keep in remote distance

Can't go forward or reverse

1. Low battery
 2. The car shorted out when it got wet
 3. Poor contact between motor and electronic regulator

1. Charging
 2. Let the car dry completely
 3. Reconnect the connection wire between the motor and the electronic regulator

Can't turn left or turn right

1. Low battery
 2. The car shorted out when it got wet
 3. Poor contact between steering gear and electronic regulator

1. Charging
 2. Let the car dry completely
 3. Reconnect the connection wire between the steering gear and the electronic regulator

It won't charge

1. The output voltage and current of the power supply should be 5V 0.5-2A
 2. The charging cable or battery is broken

1. Contact Customer Service

1. Contact Customer Service

1. Contact Customer Service

09

ASSEMBLY EXPLODED DIAGRAM

FRONT & REAR DIFFERENTIAL EXPLODED VIEW

DRIVE AXLE EXPLODED VIEW

TIRE & WHEEL AXLE EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STEERING TRIM EXPLODED VIEW

STE

VEVOR

Soporte técnico y certificado de garantía electrónica www.vevor.com/support


Camión todoterreno con control remoto para todo terreno
MODELO: 3 0 0 E

"Avec la mise", La mise de l'expression similaire utilisée par nos clients ne représente pas un prix estimé de la valeur que vous obtenez en comparant nos produits avec ceux de nos concurrents. Les marques principales ne représentent pas nécessairement la qualité ou la performance de nos produits. Les recommandations que vous devez vérifier soigneusement lorsque vous réalisez un achat en ligne sont basées sur la mise en comparaison de nos produits avec ceux de nos concurrents.

VEVOR
TOUGH TOOLS, HALF PRICE

Control remoto todo terreno

Camión todoterreno de control



SISTEMA DE RADIO RCPOWER 4 WDCAR 2.4 GH Z

¿NECESITAS AYUDA? CON TA CTUS !

¿Tiene preguntas sobre los productos? ¿Necesita asistencia técnica? No dude en ponerse en contacto con nosotros:

Soporte técnico y certificado de garantía electrónica
www.vevor.com/support

Estas son las instrucciones originales. Lea atentamente todas las instrucciones del manual antes de utilizarlo. VEVOR se reserva una interpretación clara de nuestro manual de usuario. La apariencia del producto estará sujeta al producto que recibió. Perdonenos si no sabemos si hay actualizaciones de tecnología o software en nuestro producto.

Preface :

To make your experience with this remote control car as easy and convenient as possible, please read the instructions provided before using the product. Enjoy and have fun with the product while keeping the manual for future maintenance and reference.

- In order to protect the legitimate rights and interests of users, please be sure to carefully read the contents of this manual before using this product.
- When using this product, please be sure to strictly observe and perform the requirements which includes but not limited to the instructions and safety guidelines. For any personal injury, accident, property loss, loss of data, or any other adverse event causing a conflict of interest resulting from the use of the product or any irresistible factors that are in violation of the safety instructions, the user shall bear the related responsibilities and losses.
- Once you start using the product, you are deemed to have read, understood, recommended, and accepted all terms and contents of the instructions (including disclaimers, safety instructions, warning instructions, etc.) included with this product.
- In case you are having challenges on any aspect of the product, may it be operation or maintenance, please contact your local sales agent or contact customer support.

Contents :



Charging :



The battery isn't fully charged when you first get it. When the car battery low, the car will start the LVC (Low Voltage Cut-off) protection function to protect the battery. the car can only turn, not forward and backward. Please charge the battery.

- Plug the USB charging cable into the USB charging port of the computer, power bank or USB adapter (5V/2.1A).
- Connect the battery wire to the USB charging cable.
- Charging time: about 120 minutes.
- The green indicator light on the USB charging cable will flash when it is charging and will turn solid once fully charged.


ATTENTION:
• Please keep the battery in night when charging. DO NOT put the battery on a flammable surface.
• If battery pack and USB charging cable are damaged, immediately stop using it and replace the accessories as soon as possible.

Vehicle And Transmitter Parts :

Function introduction of Remote Control
Our company has configured a new remote control for the model. Please read the operation on the instruction manual carefully. Below is the functions description of this remote control.

- Remote Control 1: Steering rate knob, Throttle trim, Turn trim, Reverse direction of left and right, Indicator light, Power switch.
- Remote Control 2: Steering rate knob, Throttle trim, Turn trim, Reverse direction of left and right, Indicator light, Power switch, ESC Switch, Motor.

Remote Control 1



Remote Control 2



ESC Switch

Motor

LiPo Battery Connector

Battery Installation :

RC Car Battery:
1. Take out the clip and open the battery cover.
2. Connect the battery outlet to the cable in the battery compartment, then insert the battery to the better compartment.
3. Close the battery cover and lock it.

If the car will not be used for a long time, make sure to turn it off and remove the battery.

Remote Battery:
1. Push the battery cover out.
2. Insert 3 AA batteries (not included) in the correct direction.
3. Push the battery cover in.

If the remote will not be used for a long time, make sure to turn it off and remove the batteries. When the battery of the remote control is low, the indicator light of the remote control will flash slowly.

Turning Trim



Vehicle Manipulation :



Vehicle Operation :

Start

Operation :

Adjust the steering angle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

Adjust the throttle

