

# **VEVOR<sup>®</sup>**

**TOUGH TOOLS, HALF PRICE**

Technical Support and E-Warranty Certificate [www.vevor.com/support](http://www.vevor.com/support)

## **PET STROLLER USER MANUAL**

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

# VEVOR<sup>®</sup>

TOUGH TOOLS, HALF PRICE

## PET STROLLER

Model: G5



### NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

**Technical Support and E-Warranty Certificate**  
[www.vevor.com/support](http://www.vevor.com/support)

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Please read this manual carefully before use and save it for future reference to protect your pet's safety, if you do not follow this manual, your pet may be affected.

#### Precautions for use

- Do not use this pet stroller near the fire source.
- The caregiver should not leave while the pet is riding.
- Make sure all locking devices are locked before using the pet stroller.
- Pets must use the restraint system when riding.
- Do not place any load on the handlebar, otherwise it may affect the stability of the stroller.
- Accessories not provided by the manufacturer are prohibited.
- Maximum load of the storage basket: 3kg.
- To avoid choking, keep plastic coverings away from pets.
- Please do not use this product on uneven, ladders and other dangerous places.
- Please read the instructions carefully before use and keep them properly for future reference, if you do not follow these instructions may affect the safety of your pet.

#### Maintenance Instructions

- To ensure the safety of pets, please check and maintain the stroller regularly.
- When cleaning the stroller cover, it is appropriate to wash it with neutral washing liquid in warm water at 10-40°C.
- Check regularly for loose rivets, damaged parts, or broken stitches, and replace broken parts if necessary.
- When disassembling, please follow the instructions carefully to avoid unnecessary damage.
- The pet stroller should be avoided often exposed to direct sunlight and rain, which affects the service life.
- It is forbidden to use spare parts and accessories not provided by the company.

# SPECIFICATIONS

Model	G5
Product Size	970×650×1010mm
Color	Gray

# COMPONENTS



Stroller frame



Awning



Rear axle



Cup holder



Front wheel



Mat




Rear wheels ×2

## Component introduction

- |                      |                              |   |
|----------------------|------------------------------|---|
| A.Stroller handlebar | B.Handlebar adjusting button | C.Retracting switch                         |
| D.Folding lock       | E.Rear wheel                 | F.Awning                                    |
| G.Air permeable mesh | H.Storage basket             | I.Front wheel                               |
| J.Cup holder         | K.Brake lever                | L.Front wheel orientation (universal joint) |



## Assembly Instructions



Slide the awning mount “AA” onto the stroller mounting base “BB” until the tabs “CC” lock with a click.



Press the “CC” button and slide the awning mount “AA” to the right direction to remove the awning.

**1. Make sure that the folding lock is open and open the handlebar in the opposite direction to the frame.**

Open the folding lock



Unfold the frame until it locks with a click



**2. Insert the rear axle into the stroller frame until it locks with a click.**



**3. Installing the front wheel**



Insert the front wheel support into the frame until the detents engage in the locked position.

#### 4. Installing the rear wheel



Insert the rear wheel into the rear axle assembly until it locks with a click.

Press down on the metal to remove the wheel.

#### 5. Installing the cup holder


Align the cup holder with the retainer and clip down into the retainer.



# Instruction for use

## 1. Awning operation

Press the button to open the front part of the awning.



Open the front of the awning up and fasten with the buckle.



## 2. Front wheel orientation operation



Turn the knob to lock or unlock the rotation of the front wheel.

### 3.Brake operation

Press the brake lever down and brake the rear wheel.



### 4.Handle adjustment

Press the left and right buttons at the same time to adjust the handle Angle.



### 5. Fold the stroller

Pull up both sides of the retracting switch, push down the handle.

Make sure the folding lock is engaged.



Manufacturer: Shanghaimuxinmuyeyouxiangongsi  
Address: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai  
200000 CN.  
EC REP: E-CrossStu GmbH.  
Mainzer Landstr.69, 60329 Frankfurt am Main.  
UK REP: YH CONSULTING LIMITED.  
C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-  
upon-Thames, Surrey, TW18 4AX  
Imported to AUS: SIHAO PTY LTD.  
1 ROKEVA STREETEASTWOOD NSW 2122 Australia  
Imported to USA: Sanven Technology Ltd.  
Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

**VEVOR**<sup>®</sup>

**TOUGH TOOLS, HALF PRICE**

**Technical Support and E-Warranty Certificate**

**[www.vevor.com/support](http://www.vevor.com/support)**