

# **VEVOR<sup>®</sup>**

**TOUGH TOOLS, HALF PRICE**

Technical Support and E-Warranty Certificate [www.vevor.com/support](http://www.vevor.com/support)

## **LATHE TURNING TOOL**

**MODEL:5830/1440/1270/3870**

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

# VEVOR<sup>®</sup>

TOUGH TOOLS, HALF PRICE

## LATHE TURNING TOOL



### NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

**Technical Support and E-Warranty Certificate**  
**[www.vevor.com/support](http://www.vevor.com/support)**

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

## **SAFETY NOTICE**

### **WARNING!**

1. Before using this product, please read instructions carefully and understand the specifications.
2. Inspect before every use; do not use if damaged.
3. Keep away from children.
4. When using this product, be sure to wear personal protective equipment such as goggles to prevent accidental injury.
5. When using this product, pay attention to keeping the lathe turning tool clean to prolong the service life.
6. When using this product, do not put your fingers or other objects into the lathe turning tool to avoid injury.
7. Please don't use lathe turning tool head instead of a hammer to strike
8. Use the product only after receiving professional metalworking training.
9. Ensure that the workspace remains clean, dry, and well-ventilated during operation.
10. Do not use the anvil in flammable, explosive, or damp environments.
11. To reduce the risk of injury when using it, Ensure that the lathe turning tool is securely installed and stable to prevent movement or tipping during use.
12. Follow safe operating procedures when using the lathe turning tool, avoiding excessive force or incorrect techniques.

### **SAVE THESE INSTRUCTIONS**

MODEL	P-type		Insert		L*H*B(mm)	Insert thickness (mm)	Material
	Designation	Quantity	Designation	Quantity			
5830	MCLNR1616H12	1	CNMG120412-TM	1	100*16*16	4.92	40Cr, GW30 25
	MTGNR1616H16	1	TNMG160404	1		5.04	
	MWLN1616H08	1	WNMG080404	1		4.91	
1440	S12M-SCLCR06	1	CCMT06	10	Φ*L: Φ12*150	2.52	
	S10K-SCLCR06	1	CCMT06		Φ*L: Φ10*125		
	S08K-SCLCR06	1	CCMT06		Φ*L: Φ8*125		
	S07K-SCLCR06	1	CCMT06		Φ*L: Φ7*125		
1270	SCLCR1/2"	1	CCMT09T304	1	100*12.7*12.7	4.12	
	SCLCL1/2"	1	CCMT09T304	1	100*12.7*12.7	4.12	
	SDJCR1/2"	1	DCMT11T304	1	100*12.7*12.7	4.19	
	SER1/2"-16	1	16ER1.5ZSO	1	100*12.7*12.7	3.66	
	SDNCN1/2"	1	DCMT11T304	1	100*12.7*12.7	4.19	
	MGEHR1/2"-3	1	MGMN300	1	100*12.7*15	2.99	
	SWGCR1/2"	1	WCMX06T308	1	100*12.7*12.7	4.05	
3870	SCLCR3/8"	1	CCMT060204	1	70*9.5*9.5	2.52	
	SCLCL3/8"	1	CCMT060204	1	70*9.5*9.5	2.51	
	SDJCR3/8"	1	DCMT07T304	1	70*9.5*9.5	2.64	
	SER3/8"-11	1	11ER1.5ZSO	1	70*9.5*9.5	3.21	
	SDNCN3/8"	1	DCMT07T304	1	70*9.5*9.5	2.5	
	MGEHR3/8"-2	1	MGMN200	1	70*9.5*10	1.66	
	SWGCR3/8"	1	WCMT050304	1	70*9.5*9.5	3.41	

**Made In China**



**VEVOR<sup>®</sup>**

**TOUGH TOOLS, HALF PRICE**

**Technical Support and E-Warranty Certificate**

**[www.vevor.com/support](http://www.vevor.com/support)**