

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support

Microphone Stand Instructions

MODEL: AK-V7

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Microphone Stand

MODEL: AK-V7



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



Warning-To reduce the risk of injury, user must read instructions manual carefully.

PRODUCT PRESENTATION



cradle head



Mobile phone clip



Support base




Extension rod




Microphone stand


METHOD OF ERECTION




METHOD OF ERECTION




Put the stand base on the table and rotate it to tighten



Fix the microphone stand on the base, and rotate the nut to fix the stand




Rotate the screws, adjust it to a suitable position and tighten the screw



Attaching the microphone to the stand

5. The microphone cable can be placed in the slot to keep a neat and clean look during the recording process.
6. Removable 5/8"adapter for mounting up to 2KG Microphone with 5/8"or 3/8"adapter.



SPECIFICATIONS AND PARAMETERS

Model	AK-V7
Max stretch length	23.82 in/60.5 cm
Max load bearing	2 kg
Adjust the Angle	360°
Adapt port	3/8" to 5/8"
Fixed clip range	≤65mm
Cell phone bracket design	Yes
Cable storage design	Yes

FAILURE RECOVERY

Problem	Causes	Quomodo
Product shaking.	1. The bottom fixed clip is not twisted. 2. The adjustment knob at the joint is not twisted.	Twist the bottom fixing clip or adjustment knob.
The stent cannot be adjusted at 360°.	The adjustment knob at the joint is screwed too tight.	1. Adjust the tightness of the joint knob. 2. Adjust the tightness of the mobile phone rotating frame.

Imported to USA: Sanven Technology Ltd, Suite 250. 9166 Anaheim Place, Rancho Cucamonga, CA 91730

Made In China

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support



Technique Assistance et certificat de garantie électronique
www.vevor.com/support

Pied de micro Instructions

MODÈLE: AK-V7

We continue to be committed to provide you tools with competitive price.
"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

Microphone Stand

MODÈLE: AK-V7



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



Avertissement : Pour réduire le risque de blessure, l'utilisateur doit lire attentivement le manuel d'instructions.

PRODUCT PRESENTATION



cradle head



Mobile phone clip



Support base




Extension rod




Microphone stand


METHOD OF ERECTION




METHOD OF ERECTION




Put the stand base on the table and rotate it to tighten



Fix the microphone stand on the base, and rotate the nut to fix the stand




Rotate the screws, adjust it to a suitable position and tighten the screw



Attaching the microphone to the stand

5. Le câble du microphone peut être placé dans la fente pour conserver un aspect soigné et propre pendant le processus d'enregistrement.

7. Adaptateur 5/8" amovible pour monter un microphone jusqu'à 2 kg avec adaptateur 5/8" ou 3/8" .



SPECIFICATIONS AND PARAMETERS

Modèle	AK-V7
Max. longueur d'étirement	23,82 po/60,5 cm
Charge maximale	2 kg
Ajuster l'angle	360°
Adapter le port	3/8" à 5/8"
Plage de clips fixe	≤65mm
Conception de support de téléphone portable	Oui
Conception de stockage de câbles	Oui

FAILURE RECOVERY

Problème	Causes	Q uomodo
Produit secoué.	3. Le clip fixe inférieur n'est pas tordu. 4. Le bouton de réglage au niveau du joint n'est pas tordu.	Tournez le clip de fixation inférieur ou le bouton de réglage.
Le stent ne peut pas être ajusté à 360°.	Le bouton de réglage au niveau du joint est trop serré.	3. Ajustez le serrage du bouton de joint. 4. Ajustez l'étanchéité du cadre rotatif du téléphone portable.

Importé aux États-Unis : Sanven Technology Ltd, Suite 250 . 9166
Anaheim Place, Rancho Cucamonga, CA 91730

Fabriqué en Chine

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technique Assistance et certificat de garantie électronique
www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Support- und E-Garantie-zertifikat

www.vevor.com/support

Mikrofonständer Anweisungen

MODELL: AK-V7

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

Microphone Stand

MODELL: AK-V7



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



Warnung: Um das Verletzungsrisiko zu verringern, muss der Benutzer die Bedienungsanleitung sorgfältig lesen.

PRODUCT PRESENTATION



cradle head



Mobile phone clip



Support base




Extension rod




Microphone stand


METHOD OF ERECTION




METHOD OF ERECTION




Put the stand base on the table and rotate it to tighten



Fix the microphone stand on the base, and rotate the nut to fix the stand




Rotate the screws, adjust it to a suitable position and tighten the screw



Attaching the microphone to the stand

5. Das Mikrofonkabel kann im Schlitz platziert werden, um während des Aufnahmevorgangs ein ordentliches und sauberes Aussehen zu gewährleisten.

8. Abnehmbarer 5/8-Zoll-Adapter zur Montage von bis zu 2 kg schweren Mikrofonen mit 5/8" oder 3/8" Adapter .



SPECIFICATIONS AND PARAMETERS

Modell	AK-V7
Max Dehnungslänge	23,82 Zoll/60,5 cm
Maximale Tragfähigkeit	2 kg
Passen Sie den Winkel an	360°
Port anpassen	3/8" bis 5/8"
Clip-Bereich korrigiert	≤65mm
Design der Handyhalterung	Ja
Kabelaufbewahrungsdesign	Ja

FAILURE RECOVERY

Problem	Ursachen	Quomodo _
Produkt schüttelt.	5. Der untere feste Clip ist nicht verdreht. 6. Der Einstellknopf am Gelenk ist nicht verdreht.	Drehen Sie den unteren Befestigungsclip oder den Einstellknopf.
Der Stent kann nicht um 360° verstellt werden.	Der Einstellknopf am Gelenk ist zu fest angeschraubt.	5. Passen Sie die Festigkeit des Gelenkknopfs an. 6. Passen Sie die Festigkeit des Drehrahmens des Mobiltelefons an.

In die USA importiert: Sanven Technology Ltd, Suite 250 . 9166 Anaheim Place, Rancho Cucamonga, CA 91730

In China hergestellt

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Support- und E-Garantiezertifikat

www.vevor.com/support



Tecnico Supporto e certificato di garanzia elettronica
www.vevor.com/support

Supporto per microfono Istruzioni

MODELLO: AK-V7

We continue to be committed to provide you tools with competitive price.
"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

Microphone Stand

MODELLO: AK-V7



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



Avvertenza: per ridurre il rischio di lesioni, l'utente deve leggere attentamente il manuale di istruzioni.

PRODUCT PRESENTATION



cradle head



Mobile phone clip



Support base




Extension rod




Microphone stand


METHOD OF ERECTION




METHOD OF ERECTION




Put the stand base on the table and rotate it to tighten



Fix the microphone stand on the base, and rotate the nut to fix the stand




Rotate the screws, adjust it to a suitable position and tighten the screw



Attaching the microphone to the stand

5. Il cavo del microfono può essere inserito nello slot per mantenere un aspetto ordinato e pulito durante il processo di registrazione.
9. Adattatore rimovibile da 5/8" per il montaggio di un microfono fino a 2 kg con adattatore da 5/8" o 3/8" .



SPECIFICATIONS AND PARAMETERS

Modello	AK-V7
Massimo lunghezza del tratto	23,82 pollici/60,5 cm
Portata massima	2 kg
Regola l'angolo	360°
Adattare il porto	da 3/8" a 5/8"
Intervallo di clip fisso	≤65mm
Design del supporto per telefono cellulare	Sì
Design per l'archiviazione dei cavi	Sì

FAILURE RECOVERY

Problema	Cause	Q uomod o
Agitazione del prodotto.	7. La clip fissa inferiore non è attorcigliata. 8. La manopola di regolazione sul giunto non è ruotata.	Ruotare la clip di fissaggio inferiore o la manopola di regolazione.
Lo stent non può essere regolato a 360°.	La manopola di regolazione sul giunto è avvitata troppo stretta.	7. Regolare la tenuta della manopola del giunto. 8. Regolare la tenuta del telaio rotante del telefono cellulare.

Importato negli Stati Uniti: Sanven Technology Ltd, Suite 250 . 9166

Anaheim Place, Rancho Cucamonga, CA 91730

Made in China

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Tecnico Supporto e certificato di garanzia elettronica

www.vevor.com/support



Técnico Certificado de soporte y garantía electrónica
www.vevor.com/support

Soporte de micrófono Instrucciones

MODELO: AK-V7

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

Microphone Stand

MODELO: AK-V7



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



Advertencia: para reducir el riesgo de lesiones, el usuario debe leer atentamente el manual de instrucciones.

PRODUCT PRESENTATION



cradle head



Mobile phone clip



Support base




Extension rod




Microphone stand


METHOD OF ERECTION




METHOD OF ERECTION




Put the stand base on the table and rotate it to tighten



Fix the microphone stand on the base, and rotate the nut to fix the stand




Rotate the screws, adjust it to a suitable position and tighten the screw



Attaching the microphone to the stand

5. El cable del micrófono se puede colocar en la ranura para mantener un aspecto limpio y ordenado durante el proceso de grabación.

10. Adaptador extraíble de 5/8" para montar micrófonos de hasta 2 kg Con adaptador de 5/8" o 3/8" .



SPECIFICATIONS AND PARAMETERS

Modelo	AK-V7
máx. longitud del estiramiento	23,82 pulgadas/60,5 cm
Carga máxima	2 kilos
Ajustar el ángulo	360°
Adaptar puerto	3/8" a 5/8"
Rango de clip fijo	≤65mm
Diseño de soporte para celular	Sí
Diseño de almacenamiento de cables.	Sí

FAILURE RECOVERY

Problema	Causas	q uomodo
Sacudida del producto.	9. El clip fijo inferior no está torcido. 10.La perilla de ajuste en la articulación no está torcida.	Gire el clip de fijación inferior o la perilla de ajuste.
El stent no se puede ajustar a 360°.	El pomo de ajuste de la articulación está demasiado apretado.	9. Ajuste la estanqueidad de la perilla de unión. 10.Ajuste la estanqueidad del marco giratorio del teléfono móvil.

Importado a EE. UU.: Sanven Technology Ltd, Suite 250 . 9166 Anaheim Place, Rancho Cucamonga, CA 91730

Hecho en china

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Técnico Certificado de soporte y garantía electrónica

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Techniczny Certyfikat wsparcia i e-gwarancji

www.vevor.com/support

Stojak mikrofonowy

Instrukcje

MODEL: AK-V7

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Microphone Stand

MODEL: AK-V7



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



Ostrzeżenie — aby zmniejszyć ryzyko obrażeń, użytkownik musi uważnie przeczytać instrukcję obsługi.

PRODUCT PRESENTATION



cradle head



Mobile phone clip



Support base




Extension rod




Microphone stand


METHOD OF ERECTION




METHOD OF ERECTION




Put the stand base on the table and rotate it to tighten



Fix the microphone stand on the base, and rotate the nut to fix the stand




Rotate the screws, adjust it to a suitable position and tighten the screw



Attaching the microphone to the stand

5. Kabel mikrofonu można umieścić w szczelinie, aby zachować schludny i czysty wygląd podczas procesu nagrywania.

11. Zdejmowany adapter 5/8" do montażu mikrofonu o masie do 2 kg z adapterem 5/8" lub 3/8" .



SPECIFICATIONS AND PARAMETERS

Model	AK-V7
Maks długość rozciągania	23,82 cala/60,5 cm
Maksymalne obciążenie	2 kg
Dostosuj kąt	360°
Dostosuj port	3/8" do 5/8"
Naprawiono zakres klipu	≤65mm
Konstrukcja uchwytu do telefonu komórkowego	Tak
Projekt przechowywania kabli	Tak

FAILURE RECOVERY

Problem	Powoduje	Q uomodo
Produkt się trzęsie.	11. Dolny klips stały nie jest skręcony. 12. Pokrętło regulacyjne na przegubie nie jest przekręcone.	Przekręć dolny zacisk mocujący lub pokrętło regulacyjne.
Stentu nie można regulować w zakresie 360°.	Pokrętło regulacyjne na przegubie jest zbyt mocno dokręcone.	11. Wyreguluj dokręcenie pokrętła przegubu. 12. Wyreguluj szczelność obrotowej ramki telefonu komórkowego.

Import do USA: Sanven Technology Ltd, Suite 250 . 9166 Anaheim Place,
Rancho Cucamonga, Kalifornia 91730

Wyprodukowano w Chinach

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Techniczny Certyfikat wsparcia i e-gwarancji

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Ondersteuning en e-garantiecertificaat

www.vevor.com/support

Microfoonstandaard Instructies

MODEL: AK-V7

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Microphone Stand

MODEL: AK-V7



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



Waarschuwing-Om het risico op letsel te verminderen, moet de gebruiker de handleiding zorgvuldig lezen.

PRODUCT PRESENTATION



cradle head



Mobile phone clip



Support base




Extension rod




Microphone stand


METHOD OF ERECTION




METHOD OF ERECTION




Put the stand base on the table and rotate it to tighten



Fix the microphone stand on the base, and rotate the nut to fix the stand




Rotate the screws, adjust it to a suitable position and tighten the screw



Attaching the microphone to the stand

5. De microfoonkabel kan in de sleuf worden geplaatst om er tijdens het opnameproces netjes en schoon uit te zien.

12. Afneembare 5/8"-adapter voor montage van een microfoon tot 2 kg met 5/8" of 3/8" adapter .



SPECIFICATIONS AND PARAMETERS

Model	AK-V7
Max rek lengte	23,82 inch/60,5 cm
Maximaal draagvermogen	2 kg
Pas de hoek aan	360°
Poort aanpassen	3/8" tot 5/8"
Vast clipbereik	≤65mm
Ontwerp van mobiele telefoonbeugel	Ja
Ontwerp voor kabelopslag	Ja

FAILURE RECOVERY

Probleem	Oorzaken	Quomodo _
Product schudden.	13.De onderste vaste clip is niet gedraaid. 14.De instelknop op het scharnier is niet gedraaid.	Draai aan de onderste bevestigingsclip of instelknop.
De stent kan niet 360° worden aangepast.	De instelknop op het scharnier is te strak aangedraaid.	13.Pas de strakheid van de scharnierknop aan. 14.Pas de strakheid van het roterende frame van de mobiele telefoon aan.

Geïmporteerd in de VS: Sanven Technology Ltd, Suite 250 . 9166
Anaheim Place, Rancho Cucamonga, CA 91730

Gemaakt in China

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Ondersteuning en e-garantiecertificaat

www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Teknisk Support och e-garanticertifikat

www.vevor.com/support

Mikrofonstativ Instruktioner

MODELL: AK-V7

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

Microphone Stand

MODELL: AK-V7



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



Varning - För att minska risken för skada måste användaren läsa instruktionerna noggrant.

PRODUCT PRESENTATION



cradle head



Mobile phone clip



Support base




Extension rod




Microphone stand


METHOD OF ERECTION




METHOD OF ERECTION




Put the stand base on the table and rotate it to tighten



Fix the microphone stand on the base, and rotate the nut to fix the stand




Rotate the screws, adjust it to a suitable position and tighten the screw



Attaching the microphone to the stand

5. Mikrofonkabeln kan placeras i öppningen för att hålla ett snyggt och rent utseende under inspelningsprocessen.

13. Avtagbar 5/8" adapter för montering av upp till 2KG mikrofon med 5/8" eller 3/8" adapter .



SPECIFICATIONS AND PARAMETERS

Modell	AK-V7
Max sträcklängd	23,82 tum/60,5 cm
Max lastbärande	2 kg
Justera vinkeln	360°
Anpassa port	3/8" till 5/8"
Fast klippområde	≤65 mm
Design för mobiltelefonfäste	Ja
Kabellagringsdesign	Ja

FAILURE RECOVERY

Problem	Orsaker	Q uomodo
Produkten skakar.	15.Den nedre fasta klämman är inte vriden. 16.Justeringsvredet vid leden är inte vridet.	Vrid den nedre fästklämman eller justeringsratten.
Stenten kan inte justeras i 360°.	Justeringsvredet vid leden är för hårt skruvat.	15.Justera skarvknappens åtdragning. 16.Justera tätheten på mobiltelefonens roterande ram.

Importerad till USA: Sanven Technology Ltd, Suite 250 . 9166 Anaheim Place, Rancho Cucamonga, CA 91730

Tillverkad i Kina

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Teknisk Support och e-garanticertifikat

www.vevor.com/support