

Technical Support and E-Warranty Certificate www.vevor.com/support

PORTABLE MINI FRIDGE

MODEL NUMBER: MFA-20L-F

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and doses not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.



PORTABLE MINI FRIDGE

MFA-20L-F



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

CustomerService@vevor.com

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there is any technology or software updates on our product.

THERMOELECTRIC COOLER AND WARMER

Thanks for choosing our products and being our valued customer!

Safety Instructions

WARNING: Read all safety warnings, instructions, illustrations and specifications provided with this electrical appliances. Failure to follow all instructions listed below may result in electric shock, fire and/or serious injury.

SAVE THESE INSTRUCTIONS for future reference.

WARNING:

- 1. This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- 2. Children should be supervised to ensure that they do not play with the appliance.
- 3. Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.
- 4. Suitable for camping use.
- 5. The appliance shall not be exposed to rain.
- 6. If the supply cord is damaged, it must be replaced by the manufacturer or its service agent or a similarly qualified person in order to avoid a hazard.
- 7. This appliance is intended to be used in household and similar applications such as
- -staff kitchen areas in shops, offices and other working environments;
- -farm houses and by clients in hotels, motels and other residential type environments;
- -bed and breakfast type environments;
- -catering and similar non-retail applications.
- 8. Please according to local regulations regarding disposal of the appliance for its flammable blowing gas. Before you scrap the appliance, please take off the doors

Disposal information



This product is subject to the provision of european Directive 2012/19/EU. The symbol showing a wheelie bin crossed through indicates that the product requires separate refuse collection in the European Union. This applies to the product and all accessories marked with this symbol. Products marked as such may not be discarded with normal domestic waste, but must be taken to acollection point for recycling electrical and electronic devices.

FCC statement:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:(1)This device may not cause harmful interference, and (2)this device must accept any interference received, including interference that may cause undesired operation.

PRODUCT CHARACTERISTICS

TEMPERATURE RETENTION - Our mini thermoelectric fridge is popular with travelers and drivers. It can keep food and drinks cool in the summer and warm in winter.

STORE COSMETICS - It is popular with skincare lovers and travelers! Use it to store and protect your skincare products. Save your time and extend the validity of cosmetics.

UNMATCHED PORTABILITY - Carrying handle and small size makes it perfect for travel or outdoor activities.

Applications

- For traveling Its small size and sleek design makes it a perfect fit for anywhere; personal spaces, offices, dorms, road trips, tailgating, commuting, and more.
- For Your Skincare This mini fridge is the perfect addition to your daily skincare routine for storing your favorite products.
- For Your Food or Drink The 20 liter High Capacity Fridge fits up to twelve-seven 330ml soda/beer/drink cans! Help your products last longer and place them in their own little home to prolong their shelf life and ensure they don't accumulate bacteria.

WARNING AND NOTICE

FOR THE PROPER OPERATION, PLEASE READ THE STATEMENT BELOW CAREFULLY BEFORE USING THE APPLIANCE.

- 1.To ensure optimal performance, prevent the fans from being stuck or blocked. Stuck fans will overheat the unit and can pose a potential fire hazard.
- 2.Please confirm the sockets of the cords are tight. A loose socket will result in the cords and sockets heating or malfunctioning and may possibly cause a fire.
- 3. Keep the unit away from flammable items and running water to prevent damage, Injury, and/or fire. It's not waterproof.
- 4.Make sure only to run your cooler/heater while your vehicle's engine is on or you risk draining your vehicle's battery.
- 5.Don't attempt to open, break, or refit the appliance.
- 6. This unit ONLY works on DC12V, AC 120V/220-240V.
- 7.Don't switch the function of the cool/warm abruptly. Switch the function after 30 minutes of being OFF.
- 8.Do not drop or bang the unit.
- 9. Adult use and supervision only. Children should not play or damage the appliance as it may cause harm/injury.
- 10. This appliance is not intended for use by people with reduced physical sensory,

and/or mental capabilities unless they have been given supervision or instruction concerning the use of the appliance by a person responsible for their safety.

11. Always keep ventilation openings clear of obstruction.

12.DO NOT use other electrical appliances inside the food storage compartments of the appliance.

13.If the power cords supplied with the cooler and warmer unit are damaged in any way, please contact the manufacturer.

Attachment: Outdoor or Indoor

When Car Power is Used (DC 12V, the appliance of products is subject to the types of cars)

Connect and insert the plug of DC power cord into the fridge and the socket of the car lighter.


DC Plug for Car



When the Household Power is Used (AC 120V/220-240V)

Connect the AC power cord (household power cord) with the household socket of the product.


AC Plug for Home



Operation Guide


- 1. Insert the plug of the power cord into socket of the unit.
- 2.Insert and connect the respective plugs.

See as below:



Operating Panel


- 1.Press the POWER button, power on and light on.
- 2.Press SET button, to set up the temperature.
- 3.Press or Change temperature.
- 4.Long Press POWER button for 3 seconds to turn off, light off too.
- 5.Press and hold the Set key for more than two seconds after the initial power-on to realize the display conversion between Celsius and Fahrenheit.



Technical Specifications

Model No.	MFA-20L-F	MFA-20L-F	
Capacity	20L	20L	
Voltage	AC 120V/60Hz DC 12V	AC 220-240V/50 60Hz DC 12V	
AC Power	Cooling: 70W Heating: 60W	Cooling: 71W Heating: 60W	
DC Power	Cooling: 55W Heating: 50W	Cooling: 55W Heating: 48W	
Temperature Adjustable	15.8-149°F	-9-65℃	
Plug type	USA plug DC plug	EU plug DC plug	

Electrical schematic



Attention

When the fridge works on Cold, if you want to change it to warm, please turn the power OFF and wait for 30 minutes. Then turn on the refrigerator to set up the temperature for warming.

Frequently Asked Questions

1. Why are there water droplets inside my fridge?

A bit of water accumulation is completely normal in thermoelectric units and can occur due to condensation dripping from stored products. To remove extra moisture, dry the inside with a soft cloth twice a week or place a desiccant pack inside the fridge to help minimize moisture.

2. Why is my fridge not cold enough?

The temperature of the fridge is determined by the temperature surrounding the outside of the fridge(it cools at approximately $68-77^{\circ}F(20-25^{\circ}C)$) lower than the outside temperature)



Technical Support and E-Warranty Certificate www.vevor.com/support