

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate www.vevor.com/support

WIRE ROPE CRIMPING PLIERS USER MANUAL

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.


VEVOR®

TOUGH TOOLS, HALF PRICE

WIRE ROPE CRIMPING PLIERS

FSH-Y10

NKGS10



FSH-Y10



NKGS10

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:



CustomerService@vevor.com

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

1. WARNING!

- 1 Disconnect wiring power supply before working.
- 2 Inspect before every use; do not use if damaged.
- 3 Keep away from children.

2. Product overview

This product is included with a wire rope crimping pliers and a cutting pliers. The wire rope crimping pliers is a hand-operated tool used to join wire rope. The cutting pliers are accessories for crimping pliers and are used to cut wire rope.


3. Product parameter

- 1) Name: wire rope crimping pliers
- 2) Model: FSH-Y10+NKGS10
- 3) N.W.: 0.86kg
- 4) G.W.: 0.92kg
- 5) Package Size: 295x140x40mm

4. Product structure

4.1 Wire rope crimping pliers are mainly below parts:

- 1.Crimping block: used to compress and fix the wire rope.
2. Cutting blade: used to cut wire rope quickly
3. Anti-skid handle: Used to operate the manual wire rope crimping pliers.
4. lock button: use to lock and unlock the tools.



4.2 The cutting pliers are mainly composed of the following parts:

Cutting mouth: used to cut wire rope.

Handle: Used to operate the cutter.

5. User Guide

1 Determine the diameter of the wire rope to be connected and select the corresponding crimping block.



Jaws 1: 0.1-0.5mm wire rope

Jaws 2: 0.5-1.0mm wire rope

Jaws 3: 1.0-2.0mm wire rope

Jaws 4: 2.2mm wire rope

2 Insert the wire rope into the correct and place crimp blocks on both ends of the wire rope.

3 Use the handle to operate the wire rope crimping pliers, and press the crimping block against the wire rope.

4 Use cutting pliers to cut off the wire rope, pay attention to safety when cutting to avoid injury.

5 Check the connection to make sure it is secure. If something goes wrong,

the crimping process needs to be redone.

6. Safety and Maintenance

- 1 Manual wire rope crimping pliers can only be used to join wire rope, not for other materials.
- 2 When using manual wire rope crimping pliers, you must pay attention to safety to prevent accidents.
- 3 When using manual wire rope crimping pliers, it is necessary to ensure that it is in normal working condition, and stop using it immediately if any abnormal situation occurs.
- 4.Clean manual wire rope crimpers promptly after use to keep dust and debris out.
- 5.Manual wire rope crimping pliers should not be stored in a humid environment for a long time to prevent rust.

Address: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi Shanghai
Imported to AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD NSW
2122 Australia

Imported to USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place,
Rancho Cucamonga, CA 91730

EC	REP	SHUNSHUN GmbH Römeräcker 9 Z2021,76351 Linkenheim-Hochstetten, Germany
----	-----	---

UK	REP	Pooledas Group Ltd Unit 5 Albert Edward House, The Pavilions Preston, United Kingdom
----	-----	---

Made In China



Technical Support and E-Warranty Certificate
www.vevor.com/support