

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support

STRIP CURTAIN USER MANUAL


We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

STRIP CURTAIN



SKU1-SKU12



SKU13-SKU19

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

1. WARNING!

- (1) Do not draw, cut, or use sharp objects on the door curtain to avoid damage.
- (2) Do not expose the door curtain to sunlight or high-temperature environments to prevent deformation or aging of the door curtain.
- (3) If you need to disassemble the door curtain, please follow the reverse steps to disassemble it and store it properly.
- (4) Clean the door curtain regularly to keep it clean and fresh; you can use a vacuum cleaner or damp cloth to gently wipe the door curtain.
- (5) If you purchase a roll-up strip curtain(SKU1-SKU12), you need to purchase the installation parts yourself.
- (6) Beware of scratching your fingers when installing.

2. Maintenance Guide

- (1) Regularly clean the door curtain, use a damp cloth to wipe the surface, and remove dust and dirt.
- (2) Avoid using corrosive cleaning agents or chemical solvents to clean the door curtain.
- (3) If the door curtain is found to be damaged, please replace the door curtain piece in time to ensure its normal use.
- (4) Striped curtains turning yellow can be caused by prolonged use or exposure to sunlight. If the curtains have turned severely yellow or been damaged, replace them with new ones.

3. Product Description

Striped door curtains are a type of decoration installed at the entrance of a door, which can effectively prevent insects, dust, and noise from entering the room, protect privacy, and provide thermal insulation, wind resistance, and sound insulation. Please read this manual carefully before use.

- The striped door curtains are made of high-quality, environmentally-friendly PVC materials.
- The door curtain is lightweight and breathable, which can effectively prevent indoor air from escaping, reducing energy waste.
- The door curtain has a certain shading performance, which can effectively

prevent dust, debris, and other items from entering the room.

4. Installation Guide

- (1) Please check if your goods are complete according to the product list.
- (2) Install the keel:
 - 1) Before installing the door curtain, please clean the doorway area to ensure a clean and level surface.
 - 2) Measure the width and height of the doorway. Cut the keel to an appropriate length according to the size of the doorway.
 - 3) Use a tool to drill holes in the door frame. The hole positions should correspond to the pre-drilled holes on the keel.
 - 4) Place the keel above the door frame and fix it with a screwdriver and screws.




- (3) Install the strip curtain:
 - 1) Choose a suitable length and width for the door curtain based on the size of the doorway. Cut the curtain to an appropriate length and width using scissors.

- 2) Take clip-A to align the curtain hole and put it underneath.



3) Tack clip-B to align the curtain hole and put it above.



4) Tighten the screws in the clips to clamp the curtain firmly.



5) Insert the hanging hook of the door curtain into the hole on the keel. Make sure the curtain is installed in the correct position.



Adjust the height and width of the door curtain to fit the size and shape of the doorway.

Check if the door curtain installation is secure, ensuring its stability and reliability.

5. User Guide

- (1) Before use, please make sure that the door curtain is correctly installed and adjusted to the appropriate position.
- (2) When opening the door curtain, please first hold the edge of the door curtain and gently pull it to one side to avoid the door curtain falling off or being damaged.
- (3) When closing the door curtain, please pull it towards the center and make sure it is completely attached to the door frame.
- (4) If the door curtain is found to be loose or damaged during use, please perform maintenance or replacement in time.
- (5) To reduce packaging volume, the bottom of the PVC curtain may curl when it is first used, but it will gradually recover.

6. Product Parameter

Strip Curtain-Parameter								
Item	Item	1	2	3	4	5	6	
1	Model#	ZAV0	G8V0	JYV0	4SV0	55V0	HMV0	
2	Product Size	50ft × 8inch	50ft × 8inch	75ft × 8inch	75ft × 8inch	150ft × 8inch	150ft × 8inch	
3	Surface	Smooth	With ribs	Smooth	With ribs	Smooth	With ribs	
4	Component Qty/pcs	Curtain	1	1	1	1	1	1
		Tape Measure	1	1	1	1	1	1
		Knife	1	1	1	1	1	1
		Clip-A	×	×	×	×	×	×
		Clip-B	×	×	×	×	×	×
		Keel	×	×	×	×	×	×
		Machine Screw	×	×	×	×	×	×
		Nut	×	×	×	×	×	×
		Wood Screw	×	×	×	×	×	×

Strip Curtain-Parameter									
Item	Item	7	8	9	10	11	12	13	
1	Model#	WBV0	TTV0	Q4V0	TCV0	S0V0	M8V0	RCV0	
2	Product Size	164ft × 8inch	164ft × 8inch	100ft × 12inch	100ft × 12inch	82ft × 12inch	82ft × 8inch	38× 84inch	
3	Surface	Smooth	With ribs	Smooth	With ribs	Smooth	Smooth	Smooth	
4	Component Qty/pcs	Curtain	1	1	1	1	1	1	6
		Tape Measure	1	1	1	1	1	1	×
		Knife	1	1	1	1	1	1	×
		Clip-A	×	×	×	×	×	×	6
		Clip-B	×	×	×	×	×	×	6
		Keel	×	×	×	×	×	×	3
		Machine Screw	×	×	×	×	×	×	18
		Nut	×	×	×	×	×	×	18
		Wood Screw	×	×	×	×	×	×	12

Strip Curtain-Parameter								
Item	Item	14	15	16	17	18	19	
1	Model#	KDV0	IBV0	F0V0	0PV0	VXV0	GGV0	
2	Product Size	42× 84inch	48× 84inch	48× 96inch	60× 84inch	72× 96inch	96× 96inch	
3	Surface	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	
4	Component Qty/pcs	Curtain	7	8	8	10	12	16
		Tape Measure	x	x	x	x	x	x
		Knife	x	x	x	x	x	x
		Clip-A	7	8	8	10	12	16
		Clip-B	7	8	8	10	12	16
		Keel	3	4	4	5	4	4
		Machine Screw	21	24	24	30	36	48
		Nut	21	24	24	30	36	48
		Wood Screw	14	16	16	20	24	30
		Bolt Driver	1	1	1	1	1	1

Address: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

Imported to AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD NSW 2122 Australia

Imported to USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

EC	REP
-----------	------------

E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.

UK	REP
-----------	------------

YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House,
London Road. Staines-upon-Thames. Surrey. TW18 4AX

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support