

VEVOR[®]

TOUGH TOOLS, HALF PRICE

SHOPPING CARTS

8822

USER MANUAL

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR[®]

TOUGH TOOLS, HALF PRICE

SHOPPING CARTS



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

Safety Instructions

WARNING:

Read this instructions before using this product. Failure to do so can result in serious injury.

1. Please do not put it near flammable materials.
2. It is forbidden to carry people under any condition.
3. Please pay attention to safety when going up and down stairs.
4. Overload is strictly prohibited.
5. Don't move too fast when passing pothole areas.
6. Use as intended only. Do not stand on the item or use as a step ladder.
7. This is not a toy, Not for use by children. Do not let children play or jump on the product.

SAVE THESE INSTRUCTIONS

Model and Parameters

Model	8821
Maximum Dynamic Load Capacity	66lbs (29.9 kg)
Maximum Static Load Capacity	110lbs (49.8 kg)

Structure Diagram



- 1.Handle
- 2.Telescopic Rod
- 3.Cover
- 4.Box
- 5.Universal Wheel (With Brake)
- 6.Lock Catch (Side)
- 7.Cover Fastener
- 8.Connector
- 9.Universal wheel (no brake)

Assembly and Use

1. Open the side snap, pull out the sides, and enlarge the side panel.



2. Put the bottom plate inside and connect the side panels.



3. Remove the cover from the back panel, cover the cover, and use it when the telescopic bar is raised to a suitable height.



4. Follow these steps to achieve folding.



Troubleshooting Instruction

Problem	Reasons	Solution
The wheels do not jam smoothly.	Insufficient lubrication.	Add oil to lubricate the rotating parts.
The handle is not smooth enough.	The tie rod is stuck at the connection.	Refuel the lever and pull it back and forth a few more times.

Maintenance

- 1.Avoid prolonged exposure to the sun to avoid aging.
- 2.Avoid the box from cracking due to violent impact when going uphill and downhill.

Sanven Technology Ltd.

Address: Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

MADE IN CHINA

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate
www.vevor.com/support