

VEVOR[®]

TOUGH TOOLS, HALF PRICE

STAIR CLIMBING CART

8803

USR MANUAL

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

✉ CustomerService@vevor.com

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there is any technology or software updates on our product.

SAFETY INSTRUCTIONS



WARNING:

1. Please do not put it near flammable materials.
2. It is forbidden to carry people at any condition.
3. Please pay attention to safety when going up and down stairs.
4. Overload is strictly prohibited.
5. Don't move too fast when passing potholes areas.

Model and Parameters

Model	8803
Maximum Load(Flat Ground)	70kg
Maximum Load(Climb Stairs)	25kg
Box Volume	53L
Folded Size	51*16.5*47.2cm
Unfolding Dimension	51*47*99.5cm

Structure Diagram



1. Handle
2. Telescopic Rod
3. Cover
4. Box
5. Universal Wheel (With Brake)
6. Climbing Wheel
7. Round Lock Catch(Side)
8. Connector
9. Round Lock Catch(Back)

Assembly and Use

1. Turn the round lock (side) counterclockwise to release, pull out both sides, and expand the side plate. (Conversely, clockwise is tightening the round lock.)



2. Put the bottom plate inside and connect side panels.



3. Cover the upper lid and start to use after the telescopic rod is raised to a proper height.



4. When it is used on the flat ground, the round lock catch on the back can be rotated and released to achieve pulling on flat ground. (Turn clockwise to tighten, turn counterclockwise to loosen)



5. Follow these steps to achieve folding.



Troubleshooting Instruction

Problem	Reasons	Solution
The wheels do not jam smoothly	Insufficient lubrication	Add oil to lubricate the rotating parts
The pull rod shakes	The pull rod is not fixed properly	Fix the round lock catch (Back)

Maintenance

- 1.Avoid prolonged exposure to the sun to avoid aging.
- 2.Avoid the box from cracking due to violent impact when going uphill and downhill.

Manufacturer:Taizhou Jiaojiang Golden Cat Plastic Industry Co., Ltd.
Address:2271 Jingzhong Road, Hongjia Street, Jiaojiang District,
Taizhou City, Zhejiang Province

MADE IN CHINA

VEVOR[®]

E-mail: CustomerService@vevor.com