

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate www.vevor.com/support

WHEEL STABILIZER

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

 CustomerService@vevor.com

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



Safety & Warning

- Read and understand this entire manual before assembling, installing, operating, or servicing this product. Failure to follow these warnings and instructions can cause death, personal injury or damage to valuable property.
- Do not overload the chock tie. Never exceed the maximum weight capacity of the parameter table.
- Make sure the vehicle' s engine is OFF, with parking brake set, before bundle tires or other car parts.
- The performance of the Wheel Stabilizer is dependent on proper trailer tire pressures. Check tire pressures frequently for safety, good tire wear and good chock performance.
- Adhere to all Department of Transportation (D.O.T.) requirements when using this product.
- Use common sense when working. Stay alert and concentrate when setting up and using this product. Never work while under the influence of alcohol, drugs or medications.
- While assembling and using this product keep work area clean and well lighted. Keep spectators and children out of the work area.
- Dress appropriately. Never wear loose fitting clothing or jewelry when working. Contain long hair, and keep hair, clothing and gloves away from moving parts.

Specifications

Model Series	XMS-1	XMS-2	XMS-3	XMS-4	XMS-5
Maximum Load Capacity (lb)	3300	3300	3300	5865	1500
Net Weight (kg)	9.1	8.4	7.6	10.1	5.5
Gross Weight (kg)	9.6	8.9	8.1	10.5	6

Drawing of the Product



XMS-1



XMS-2



XMS-3



XMS-4



XMS-5

Ratchet belt instruction


A. Ratchet instructions

STEP 1




From bottom, thread webbing through slot in center spool of closed ratchet.

STEP 2




Pull webbing through, removing the slack.

STEP 3



Start ratcheting--raising and lowering handle.


STEP 4



Finish ratcheting with lowered handle.


B. Release instructions

STEP 1




Pull&hold release tab(to override ratcheting function).

STEP 2



Open ratchet until it is completely open and flat.

STEP 3



Remove webbing from ratchet by gently pulling out.

STEP 4




Pull and hold release tab to close ratchet.

Usage scenario



Atv Transport



Road Rescue

Address: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi
Shanghai

Imported to AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD
NSW 2122 Australia

Imported to USA: VEVOR STORE INC, 9448 RINCHMOND PL #E
RANCHO CUCAMONGA, California, 91730 United States of America



Pooledas Group Ltd
Unit 5 Albert Edward House, The Pavilions
Preston, United Kingdom



SHUNSHUN GmbH
Römeräcker 9 Z2021, 76351
Linkenheim-Hochstetten, Germany

Made In China

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support

Made In China