

Technical Support and E-Warranty Certificate www.vevor.com/support

PRESSURE WASHER TRIGGER SPRAY GUN MODEL: TSG4000-L

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and doses not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.



PRESSURE WASHER TRIGGER SPRAY GUN

MODEL:TSG4000-L



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

CustomerService@vevor.com

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

★Important Safety Instructions:

WARNING: Read carefully and understand all ASSEMBLY AND OPERATION INSTRUCTIONS before operating. Failure to follow the safety rules and other basic safety precautions may result in serious personal injury. Various dangers may occur if the hand lever grease gun

is improperly handled during installation, commissioning and daily operation. Risk of injury and damage to material property because of improper handling.Hold the manual at the operational staff's disposal at the unit's usage site.

1. Country-specific safety measures and accident prevention regulations must be observed.

2. Only qualified and authorized persons are allowed to operate the trigger spray gun.

3. Persons are qualified if they are, due to their training, experience, instruction and knowledge of the relevant standards, able to assess assigned tasks and to identify potentially hazardous situations.

4. All persons charged with installation, operation, maintenance and repair must have read and understood these operating instructions.

5. Any use beyond these parameters can lead to serious risks and is regarded as use that is contrary to the intended purpose. The operator is responsible for damages resulting from use other than the intended use. **CAUTION:**

1. Comply with the machine manufacturer's maintenance and service instructions.

2. Defective accessories can lead to personal injury and material damage.

3. During their period of use, accessories must be checked for wear, cracks, and other damage.

- 4. Defective accessories should be replaced immediately.
- 5. Do not open the trigger spray gun when it is under pressure!

6. When using the trigger spray gun, use suitable equipment such as protective gloves and eye protection.

SAVE THESE INSTRUCTIONS.

Maximum Pressure	4000 psi
Maximum Water Temperature	60°C/140°F

★Pressure Washer Gun Kit Includes:

- 1 x Pressure Washer Gun 1 x Pressure Washer Wand
- 1 x Stainless Steel Pole 5 x Different Nozzle Tips
- 1 x Nozzle Holder 1 x Adapter

★Feature

Nozzles fitting: 1/4"quick connector

Fitting: pressure washer hose with 3/8" or M22 14mm or M22 15mm connector

- 5 Spray Nozzles Have Different Spray Angle (0°、15°、25°、40°、65°)
- 1.Red: 0 degree straight line of water
- 2.Yellow: 15 degree fan-shaped water
- 3. Green: 25 degree fan-shaped water
- 4.White: 40 degree fan-shaped water
- 5.Black: 65 degree, large fan foam nozzle



 \star The gun body is made of engineering plastic.

★The internal structure is brass and stainless steel Working pressure 4000PSI Maximum.

★ Safety Locking Trigger – Gun features a safety locking trigger to prevent unwanted trigger pulls.

★Ergonomic and comfortable grip to fit your hands makes pressure washing job very easy. Thus, its compact design and size makes it easy to hold and use.

 \star ATTENTION: Do not directly fit the garden hose, water hose, or faucet.If pressure washer hose has 3/8" connector, please connect to hose directly.

★Connecting nozzles



\star Connect the hose connector



Address: Baoshanqu Shuangchenglu 803long 11hao 1602A-1609shi Shanghai

Imported to AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD NSW 2122 Australia

Imported to USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 9173



Pooledas Group Ltd Unit 5 Albert Edward House, The Pavilions Preston, United Kingdom



SHUNSHUN GmbH Römeräcker 9 Z2021, 76351 Linkenheim-Hochstetten, Germany

Made In China



www.vevor.com/support